

# 8 INCREMENTAL

Ver. 2.0 Page 1/10

# 1. Z48 Incremental Bearing-less Optical Encoder (Through Shaft)

1.1 Introduction:

Z48 is a through shaft bearing-less encoder with easy installation and no adjustment. It has multiple electrical interfaces and no dust protection. It is mostly used for low-cost solutions for private service motors.

- 1.2 Feature
  - Encoder external diameter Ø48mm, thickness min 23mm, diameter of shaft up to Ø8mm;
  - Adopt non-contact photoelectric principle,
  - · Reverse polarity protection,
  - Short circuit protection,
  - Multiple electrical interfaces available;
  - Resolution per turn up to 5000PPR.
- 1.3 Application: Servo motor, robot and automation control fields.
- 1.4 Connection:
  - Radial cable (standard length 0.3M)
- 1.5 Protection: None
- 1.6 Weight: About 60g



## 2. Model Selection Guide

2.1 Model composition(select parameters)



2.2 Note

- 1. Z signal is low level active.
- 2. Z signal is high level active.
- Blank means IP00, cable length is 0.3M, if need to change the length C+number, the longest is 100M (expressed by C100). For the specific length of use, pls refer to page P2 -P3 of the provision of output circuit.

No: 01100122

Page 2/10

Ver. 2.0

INCREMENTAL

## 3. Output Method

3.1 Incremental signal

748





Ά8

No: 01100122

Page 3/10

Ver. 2.0

## INCREMENTAL

3.2 For servo motor(with UVW)



**Z48** 

INCREMENTAL

Ver. 2.0 Page 4/10

# 4. Electrical Parameter

Parameter Output Item			oc	Voltage	Push-pull	TTL	TTL (Less wiring type)	HTL					
Supply voltage			DC+5V±5%; DC8\	/-30V±5%		DC+5V±5%	DC8-30V±5%						
Consumption current			100mA Max			120mA Max							
Allo	Allowable ripple		≤3%rms										
Top freq	respons uency	е	100KHz			300KHz		500KHz					
	Output	Input	≤30mA	Load resistance	≤30mA	≤±20mA		≤±50mA					
acity	ourront	Output	_	2.2K	≤10mA		SIGOMA						
t cap	Output	"H"	_	_	≥[ (Supply voltage) -2.5V]	≥2.5V		≥Vcc-3 VDC					
Output capacity	voltage	"L"	≤0.4V	≤0.7V(less than 20mA)	≤0.4V(30mA)	≤0.5V		≤ 1V VDC					
0	Load voltage		≤DC30V			-							
Rise	Rise & Fall time		Less than 2us(cabl	e length: 2m)		Less than 1us(Cable length: 2m)							
Insu	lation str	ength	AC500V 60s										
	lation stance		10ΜΩ										
Mar	k to space	e ratio	45% to 55%										
Rev prot	erse pola ection	arity	<b>v</b>										
	Short-circuit protection		- /0										
Pha	Phase shift between A & B		90°±10° ( frequency in low speed)										
betv			90°±20° (frequency	/ in high speed)									
Dela time	Delay motion		_				510±220ms	—					
GND			Not connect to encoder										

• Short-circuit to another channel or GND permitted for max.30s.

Phase A.B.Z are back of phase U.V.W when power on.

Z48 INCREMENTAL

Ver. 2.0 Page 5/10

# 5. Mechanical Specification

Diameter of shaft	Ø6mm; Ø8mm(optional)
Dimension of collar	Ø30 <sup>+0.005</sup> ; depth 2.4mm
Slew speed	≤5000 rpm
Material	Base: Die cast aluminum
Weight	About 60g

# 6. Environmental Parameter

Environmental temperature	Operating: $-20$ ~+85°C(repeatable winding cable: -10°C); Storage: $-20$ ~+90°C						
Environmental humidity	perating and storage: $35{\sim}85\%$ RH(noncondensing)						
Vibration(Endurance)	Amplitude 0.75mm,5~55Hz,2h for X,Y,Z direction individually						
Shock(Endurance)	490m/s <sup>2</sup> 11ms three times for X,Y,Z direction individually						
Protection	None						



# 7. Wiring Table

7.1 OC / Voltage

		Incremental signal	Supply voltage		
Wire color	White	Green	Yellow	Red	Black
Function	А	В	Z	Up	0V

## 7.2 TTL / HTL / Push-pull / Less wiring type

			Incremer	ntal signal		Supply voltage		
Wire color	White White/BK		Green	Green/BK	Yellow	Yellow/BK	Red	Black
Function	<b>A+</b> (U+)* <b>A−</b> (U−)*		<b>B+</b> (∀+)*	<b>B-</b> (∨-)*	$Z+(\forall\forall+)^*$	<b>Z-</b> (₩-)*	Up	0V
Twisted-paired cable								

\* For the functional status in less wiring mode, refer to the functional mode wiring table for output circuit on page 3.

## 7.3 For servo motor

			Incremental signal									Supply voltage		
Wire color	Blue	Blue/BK	Grey	Grey/BK	Pink	Pink/BK	Yellow	Yellow/BK	Green	Green/BK	White	White/BK	Black	Red
Function	U+	U-	V+	V-	W+	W-	Z+	Z-	B+	B-	A+	A-	0V	Up
Twisted- paired cable														

## Up=Supply voltage.

Shield wire is not connected to the internal circuit of encoder.

### 7.4 Radial cable schematic



Unit: mm



48 INCREMENTAL

- 8. Basic Dimension
- 8.1 Encoder size



8.2 Installation shaft specification







Unit: mm

Shaft rotate direction of TTL & HTL signal output

Shaft rotate direction of OC signal output

www.shhxgd.com fang@shhxgd.com Tel: 86-21-54613487 We reserve the final interpretation right of this specifications, subject to change without notice

No: 01100122

Ver. 2.0 Page 7/10

## HENGXIANG /// Encoder

Page 8/1

Motor collar

2-M3\*4

4

(Top screws)

Ver. 2.0

1 Motor

Motor shaft

## INCREMENTAL

## 9. Assembly Steps

9.1 Assembling steps for encoder with UVW

#### Step 1

- a. Before installing the encoder, firstly confirm the starting zero position of the motor and lock it tightly to ensure the motor shaft won't moving until the encoder complete installation. otherwise the zero position of the encoder cannot be aligned with the zero position of the motor.
- b. Put the encoder (2) directly on the motor shaft and gently push it to the motor platform by hand.
- c. Fix the two hexagon screws on the motor (1), do not be too tightly ,just enough to turn the encoder by hand.



www.shhxgd.com fang@shhxgd.com Tel: 86-21-54613487 We reserve the final interpretation right of this specifications, subject to change without notice

2

Encoder

Apply thread adhesive to the front ends of the two M3\*4 top screws (4) on the side of the encoder (2) and tighten to fix the encoder disk on the motor shaft.

#### Note:

Follow the tightening sequence of the two screws as figure (A first, then B) Recommended tightening force is 0.6N m

### Step 3

- a. Remove the two M2\*8 screws (5) and the positioning plate
- b. Connect the signal wires of the encoder, power on, and connect to the oscilloscope or other testing equipment that can read the zero signal of the motor and the encoder.
- c. Centered on the collar and turn the encoder (2) from left to right by hand, and observe the testing equipment until the alignment of zero position for encoder and motor meets the requirements, then tighten the two M3\*10 bolts (3).
- d. Unlock the zero position of the motor to complete the encoder's installation.

## Note:

If want to re-zero or disassemble the encoder (2), must reinstall the assembly positioning plate (6) in reverse order.



B

Hexagon spanner 1.5mm



# Z48 INCREMENTAL



# 10. Caution

10.1 About vibration

Vibration act on encoder always cause wrong pulse, so we should pay attention to working place. More pulse per revolution, narrower groovy spacing of grating, more effect to encoder by vibration, when rev is low or stop, vibration act on shaft or main body would cause grating vibrating, so encoder might make wrong pulse.

10.2 Caution for wiring

- Use the encoder under the specified supply voltage. Please note that the supply voltage range may drop due to the wiring length.
- Do not put the encoder wiring and other power lines through the same duct, and do not use them by bundling in parallel.
- Please do not apply excessive force to the cable of encoder, or it will may be damaged.



2024.9.24